

IBBA Key Behavioral Indicators for IDU Group

➤ **Demographic Characteristics**

- ≈ Age
- ≈ Literacy
- ≈ Main Occupation
- ≈ Marital Status
- ≈ Living Status

➤ **INJECTION PRACTICE**

- ≈ No. of days practiced injecting drugs for non-medical purpose
- ≈ Drugs taken through non-injecting mode in past 1 month
- ≈ Most often injecting drug over the last 12 month
- ≈ Sharing needles/ syringe or drug solutions
- ≈ Inject from a pre-filled syringe
- ≈ Treatment for Drug use in last 12 month
- ≈ Vaccinated against Hepatitis B

➤ **Sexual History with Female Partners**

- ≈ Age at first sexual intercourse with women
- ≈ No. of women have sex with in last 12 month

Paid Female partner

- ≈ Age at first sexual intercourse with FSW
- ≈ No. of FSWs have sex with in last 12 month
- ≈ Place to pick FSW
- ≈ Condom use last time
- ≈ Condom use every time

Non-Paid Regular Female Partner

- ≈ Have main (Steady) female partner
- ≈ Partners Age
- ≈ No. Sexual intercourse in Last 1 week
- ≈ No. Sexual intercourse in Last 1 month
- ≈ condom use Last time
- ≈ Condom use every time

Other non-paid female partners

- ≈ Have other non-paid female partner in the past year
- ≈ Condom use Last time
- ≈ Condom use every time

Male Sexual Partner

- ≈ Have Sex with man
- ≈ Age at first anal intercourse with man

Paid male partner

- ≈ ever paid to have anal intercourse with man
- ≈ paid to have anal intercourse with man in Past year
- ≈ No. times paid to have anal intercourse with man in past 1 month
- ≈ No. of times Condom NOT use
- ≈ Condom use Last time
- ≈ Condom use every time

Sold Sex to men for money or drugs

- ≈ No. of times receive drugs in exchange of anal sex with man in past 1 month
- ≈ Condom use Last time
- ≈ Condom use every time

Non-commercial male partners

- ≈ Have non-Commercial male partner
- ≈ No. of times have anal intercourse in past 1 month
- ≈ Condom use Last time
- ≈ Condom use every time

➤ Condom use and Miscellaneous

- ≈ Place of obtained Condom last time
- ≈ Circumcision
- ≈ Tattooed

➤ Sexually Transmitted Infection

- ≈ ever heard of any STI
- ≈ Knowledge of STI Symptoms in men
- ≈ Had STI Symptoms during last 12 months
- ≈ Action taken on/ sought treatment for recent STI Symptom in last 12 month

≈ sought treatment from trained care

- From key Clinic
- From Government Clinic/Hospital
- From NGO
- From Private Clinic/Hospital

≈ Duration of symptoms before taking treatment

≈ Present Any STI Symptoms

➤ **Knowledge and Prevention of HOV/AIDS**

≈ Ever heard of HIV/AIDS

≈ Feels at risk of being infected with HIV/AIDS

≈ Ever undergoes HIV test

≈ Collected HIV test report

≈ Ever heard of ART

➤ **Mobility and Migration**

≈ Place of residence

≈ usually commute to place frequently

≈ Frequency to visit

≈ Reasons to commute these places

Places to travel in the past year

➤ **RDS and Size Estimation**

≈ No. male injecting drug users personally knows

≈ Registered with any NGO

➤ **Exposure to Intervention**

≈ Ever heard any NGO

≈ How long knows these NGOs

≈ Registered with any NGO

≈ received any service from NGOs in past one year

≈ Type of interaction or service received from NGO During one year