

## IBBA Key Behavioral Indicators for Client Group

### Demographic Characteristics

- I. Age
- II. Literacy Status
- III. Main Occupation
- IV. Marital status
- V. Steady sex partner

### Mobility and Migration

- I. Current living Place
- II. Place of Steady sex partner
- III. Mobility for traveling towards Native place OR Other place
- IV. Sex Practice during traveled places

### Sex partners (sexual exposure) Number and type of female sex partner

- I. Age at first sexual exposure
- II. When started first sex with paid FSW (Age at first sexual exposure with commercial sex partner (paid) FSW)

### Type of different female sex worker and Partner

- I. Occasional female sex worker
- II. Regular female sex worker
- III. Regular – occasional female sex worker
- IV. Non-Paid female sex partner/Main –Steady Partner
- V. Other Non-Paid/Casual Female sex partner
- VI. Non-Paid Female Partner- Main –Steady Partner &Casual Partner
- VII. Male /Hijar sexual Partner

### A – Female sex worker

- I. Usual Place for searching FSW
- II. No. of days and with No. Of FSW had sex on the past one month
- III. No. of days and with No. Of FSW had sex on the past six month
- IV. No. of Occasional and Regular FSW had sexual exposure in past 6 month.

### Sexual Exposure with female sex worker

1. Occasional female sex worker

- known/Unknown Occasional FSW
- No. of day and time Condom use with Occasional FSW
- 

## 2. Regular female sex worker

- Whether paid for sex with Regular female sex worker
- Exposure of condom use with Regular female sex worker
- Use of condom in every time with Regular female sex worker
- Any Reason why condom is been not used at the time of sex with Regular female sex worker
- Exposure of anal sex with FSW
- No of Days Had Anal sex with FSW In past one month
- No of Days Had Anal sex with FSW In past six month
- Condom use in past six month while having anal sex with FSW

## 3. Non-Paid female sex partner/Main –Steady Partner

- Had Non-Paid female sex partner/Main –Steady Partner
- Period of Relation with this Non-Paid female sex partner/Main –Steady Partner
- No. of times had sexual intercourse with this partner in past six month.
- Duration of using condom with this partner.
- No of time condom use with this partner

## 4. Other Non-Paid/Casual Female sex partner

- Had Sexual intercourse with other Non-Paid/Casual Female sex partner
- No .of such type of partners during last one year.
- Last time had sexual intercourse with this partner.

## 5. Non-Paid Female Partner- Main –Steady Partner &Casual Partner

- Had sex with Non-Paid Female Partner- Main –Steady Partner &Casual Partner
- No. of times had sex with Non-Paid Female Partner- Main –Steady Partner &Casual Partner

During past one month

- No. of times had sex with Non-Paid Female Partner- Main –Steady Partner & Casual Partner

During past six months

#### 6. Male /Hijar sexual Partner

- Had anal sex with Male /Hijar sexual Partner in the past six month
- No. of Different types of Male /Hijar sexual Partners with whom you had anal sex in the past six Month
- No. of paid Male /Hijar partners in past 3month
- No. of paid Male /Hijar partners in past 6month
- No. of paid Male /Hijar partners had paid anal sex in past 3months
- No. of paid Male /Hijar partners had paid anal sex in past 6months
- No. of times have anal intercourse with Male /Hijar partners in past 3months
- No. of times have anal intercourse with Male /Hijar partners in past 6months
- Use of condom during last anal intercourse with Male /Hijar sexual Partner

#### Condom and Injection Practice

- was Carrying condom at the time of interview
- Had circumcised

#### Drugs and substances use

- Had received injection from Medical practitioner in the last one year
- No of injection received for Medical purpose in the last one year
- Ever received Blood Transfusion
- Ever injected drugs for non-medical reason
- Last time injected Drugs for non-medical Reason
- Last one year share needle and syringe with others while injecting drugs.

#### Knowledge of STIs and STI care seeking Behavior

- Had any STI symptoms during last year
- Knowledge of STI symptoms (as much possible)
- Action taken on treatment for recent STI treatment in the last year

#### Sought treatment from trained care

- From Avahan clinic
- From Public clinic/Hospital
- From Private clinic/hospital

#### Duration of Symptoms before seeking treatment

#### Knowledge and attitudes towards HIV/AIDS

- Ever heard of HIV/AIDS
- Feels at risk of being infected with HIV/AIDS
- Ever undergone HIV test
- Knows about any drugs that can treat HIV
- Ever heard of ART

#### Exposure of Program information

- Past six month heard of any advertisement of message on condom
- Past six months heard of any advertisement of message on condom on STI
- Past six months heard of any advertisement of message on condom on Key Clinic
- Ever visited to Key Clinic for any kind of treatment
- Ever visited to Key Clinic for STI treatment
-

-

- Regular – occasional female sex worker
- Non-Paid female sex partner/Main –Steady Partner
- Other Non-Paid/Casual Female sex partner
- Non-Paid Female Partner- Main –Steady Partner &Casual Partner
- Male /Hijar sexual Partner

- Sexual risk behavior including number and type of sex partners (“commercial”, “regular” & “non-regular”);
- Condom use with different types of sex partners;
- Other practices related to condom use and safe sex;
- Knowledge of STIs and STI care-seeking behaviors;
- Knowledge and attitudes toward HIV/AIDS;
- Drug & substance use (including injecting & needle sharing);
- Mobility & migration patterns influencing sexual behavior;
- Perception of HIV & STI risk; AND
- Exposure to Avahan & other HIV/AIDS prevention interventions.